

## Deli Case Series

▪ 3 sizes ▪ 2 Finishes ▪



### FEATURES

Gravity coil refrigeration system without fan to prevent drying product

Stainless steel interior floor and painted aluminum or stainless steel exterior

21" deep stainless steel top

Curved tempered glass front provides optimal lighting

PVC coated adjustable wire shelving for better cold circulation

Heavy duty preinstalled casters

Full length LED lighting

Rear sliding glass doors for loading

R290 environmentally friendly hydrocarbon refrigerant

Dixell digital controller with automatic defrost programming





ETL Listed and conforms to NSF Std. 7

Standard 15 amp plug



PEAKCOLD Deli Cases

Model	Finish	Doors	Shelves	HP	Amps	Volume	Width	Depth	Height
IM48DC-B	Black	2	6	1/4	3.1	15 Cu. Ft	Ext: 47.25"	Ext: 32.5"	Ext: 42.8"
IM48DC-S	Stainless						Int: 43.25"	Int: 26.75"	Int: 26.75"
IM64DC-B	Black	3	9	3/5	7.2	22 Cu. Ft	Ext: 64.25"	Ext: 32.5"	Ext: 42.8"
IM64DC-S	Stainless						Int: 60.25"	Int: 26.75"	Int: 26.75"
IM82DC-B	Black	3	9	3/4	7.1	32 Cu. Ft	Ext: 82"	Ext: 32.5"	Ext: 42.8"
IM82DC-S	Stainless						Int: 78"	Int: 26.75"	Int: 26.75"



**ROCK SOLID**

**WARRANTY**

No Headaches  
No Registration Required  
For Procool and PeakCold Lines

**PEAKCOLD®**

**5 YEAR ON COMPRESSORS**  
**3 YEAR ON PARTS**  
**1 YEAR ON LABOR**

**IRON MOUNTAIN**  
REFRIGERATION + EQUIPMENT

- For warranty service, contact: [service@ironmountainrefrigeration.com](mailto:service@ironmountainrefrigeration.com) or call 833-734-8880.
- Warranty is not supported outside the continental United States.
- Warranty is not transferable to other parties.
- Warranty does not cover the loss of product or income due to equipment malfunction.
- Placing the equipment outdoors, using it to store hazardous materials or modifying the equipment in any way voids all warranties.