

Bakery Display Case Series

▪ 2 sizes ▪



FEATURES

4 tempered glass sides for optimal product display

Stainless steel exterior and floor

2 Sliding glass rear doors for loading

Glass shelves with LED lighting for each

Heavy duty hidden casters with brakes

R290 environmentally friendly hydrocarbon refrigerant

Dixell digital controller with automatic defrost programming



ETL Listed and conforms to NSF Std. 7

Standard 15 amp plug



PEAKCOLD Bakery Display Case Series

Model	Doors	Shelves	HP	Amps	Volume	Width	Depth	Height
IM48CD3	2	3 (42" W x 15" D)	1/3	8	19.4 Cu. Ft	Ext: 47.25" Int: 44"	Ext: 28.75" Int: 24"	Ext: 55.2" Int: 32"
IM71CD3	2	3 (66" W x 15" D)	1/2	9.2	30 Cu. Ft	Ext: 70.9" Int: 67.5"	Ext: 28.75" Int: 24"	Ext: 55.2" Int: 32"



ROCK SOLID

WARRANTY

No Headaches
No Registration Required
For Procool and PeakCold Lines

PEAKCOLD[®]

5 YEAR ON COMPRESSORS
3 YEAR ON PARTS
1 YEAR ON LABOR

IRON MOUNTAIN
REFRIGERATION + EQUIPMENT

- For warranty service, contact: service@ironmountainrefrigeration.com or call 833-734-8880.
- Warranty is not supported outside the continental United States.
- Warranty is not transferable to other parties.
- Warranty does not cover the loss of product or income due to equipment malfunction.
- Placing the equipment outdoors, using it to store hazardous materials or modifying the equipment in any way voids all warranties.