

## Refrigerated Prep Tables

▪ 4 sizes ▪



### FEATURES

- Stainless steel exterior
- Insulated stainless steel lids
- Coated aluminum interior
- Adjustable epoxy coated shelves
- Removeable cutting boards
- Self-closing door stays open at 90°
- Pans are air cooled from the bottom
- Heavy duty casters and recessed handles
- Dixell digital controller with automatic defrost programming
- ETL Listed and conforms to NSF Std. 7
- Standard 15 amp plug






Model	Doors	6" Pan Capacity	HP	Amps	Volume	Width	Depth	Height
IM27RP	1	(6) 1/6 and (2) 1/9	1/5	2.88	5.7 Cu. Ft	Ext: 27.5" Int: 24"	Ext: 29.5" Int: 23.75"	Ext: 42.4" Int: 23.5"
IM48RP2	2	(12) 1/6	1/4	4.56	9.5 Cu. Ft	Ext: 46.8" Int: 35.25"	Ext: 29.5" Int: 23.75"	Ext: 42.4" Int: 23.5"
IM60RP2	2	(16) 1/6	1/4	4.8	15 Cu. Ft	Ext: 60.2" Int: 56.2"	Ext: 29.5" Int: 23.75"	Ext: 42.4" Int: 23.5"
IM72PP2	2	(9) 1/3	1/5	3.42	16.9 Cu. Ft	Ext: 70.9" Int: 48.4"	Ext: 31.5" Int: 22.9"	Ext: 42.9" Int: 26.1"



PEAKCOLD Refrigerated Prep Tables

All Models



IM27RP



IM48RP2





IM60RP2



PEAKCOLD Refrigerated Prep Tables

IM72PP2



**ROCK SOLID**

**WARRANTY**

No Headaches  
No Registration Required  
For Procool and PeakCold Lines

**PEAKCOLD**<sup>®</sup>

**5 YEAR ON COMPRESSORS**  
**3 YEAR ON PARTS**  
**1 YEAR ON LABOR**

**IRON MOUNTAIN**  
REFRIGERATION + EQUIPMENT

- For warranty service, contact: [service@ironmountainrefrigeration.com](mailto:service@ironmountainrefrigeration.com) or call 833-734-8880.
- Warranty is not supported outside the continental United States.
- Warranty is not transferable to other parties.
- Warranty does not cover the loss of product or income due to equipment malfunction.
- Placing the equipment outdoors, using it to store hazardous materials or modifying the equipment in any way voids all warranties.