

PEAKCOLD®

3 Door Display Cooler



FEATURES

Bottom mounted compressor creates no-stoop lower shelf

White painted aluminum interior with stainless steel floor

Double paned tempered glass door

PVC coated adjustable wire shelving for better cold circulation

LED interior lighting

self-closing doors stay open at 90°

R290 environmentally friendly hydrocarbon refrigerant

Dixell digital controller with automatic defrost programming


ETL Listed and conforms to NSF Std. 7

Standard 15 amp plug



PEAKCOLD 3 Door Display Cooler IM72MR3

Model	Shelves	HP	Amps	Volume	Width	Depth	Height
IM72MR3	12	3/4	10.7	57.5 Cu. Ft	Ext: 78.25" Int: 73.5"	Ext: 30" Int: 23.6"	Ext: 80.75" Int: 55.1"



Side View



ROCK SOLID

WARRANTY

No Headaches
No Registration Required
For Procool and PeakCold Lines

PEAKCOLD[®]

5 YEAR ON COMPRESSORS
3 YEAR ON PARTS
1 YEAR ON LABOR

IRON MOUNTAIN
REFRIGERATION + EQUIPMENT

- For warranty service, contact: service@ironmountainrefrigeration.com or call 833-734-8880.
- Warranty is not supported outside the continental United States.
- Warranty is not transferable to other parties.
- Warranty does not cover the loss of product or income due to equipment malfunction.
- Placing the equipment outdoors, using it to store hazardous materials or modifying the equipment in any way voids all warranties.