PEAKCOLD

Display Cooler Series

■ 4 sizes ■











FEATURES

Bottom mounted compressor creates no-stoop lower shelf

White painted aluminum interior with stainless steel floor

Double paned tempered glass door

PVC coated adjustable wire shelving for better cold circulation

LED interior lighting

Self-closing doors stay open at 90°

R290 environmentally friendly hydrocarbon refrigerant

Dixell digital controller with automatic defrost programming

ETL Listed and conforms to NSF Std. 7


Standard 15 amp plug





PEAKCOLD Display Coolers

Model	Shelves	HP	Amps	Volume	Width	Depth	Height
IM9MR	4	1/5	2.88	9.1 Cu. Ft	Ext: 21.7"	Ext: 21.7"	Ext: 63"
					Int: 18.9"	Int: 18.25"	Int: 46"
IM13MR	4	1/5	2.88	14 Cu. Ft	Ext: 25.6"	Ext: 22.8"	Ext: 79.4"
					Int: 22.9"	Int: 19.75"	Int: 55.1"
IM23MR	4	1/5	3	23 Cu. Ft	Ext: 28.3"	Ext: 31.9"	Ext: 79.4"
					Int: 25.25"	Int: 28.4"	Int: 62.5"
IM45MR2	80	1/4	4.3	45 Cu. Ft	Ext: 53.1"	Ext: 32"	Ext: 84"
					Int: 50"	Int: 28.4"	Int: 61.9"
IM45MRS2	0	1/4	/ 7	/ F C F+	Ext: 53.1"	Ext: 32"	Ext: 84"
(sliding door)	8	1/4	4.3	45 Cu. Ft	Int: 50"	Int: 28.4"	Int: 61.9"





- For warranty service, contact: <u>service@ironmountainrefrigeration.com</u> or call 833-734-8880.
- Warranty is not supported outside the continental United States.
- Warranty is not transferable to other parties.
- Warranty does not cover the loss of product or income due to equipment malfunction.
- Placing the equipment outdoors, using it to store hazardous materials or modifying the equipment in any way voids all warranties.