

Display Freezer Series

▪ 4 sizes ▪



FEATURES

Bottom mounted compressor creates no-stoop lower shelf

White painted aluminum interior with stainless steel floor

Triple paned tempered glass door with anti fog system

PVC coated adjustable wire shelving for better cold circulation

LED interior lighting and canopy

Self-closing doors stay open at 90°

R290 environmentally friendly hydrocarbon refrigerant

Dixell digital controller with automatic defrost programming

ETL Listed and conforms to NSF Std. 7

Standard 15 amp plug (single door) 20 amp plug (2 door)


1 door

2 door



PEAKCOLD Display Freezers

Model	Shelves	HP	Amps	Volume	Width	Depth	Height
IM9MF	3	1/4	3.5	8.5 Cu. Ft	Ext:26.8" Int: 24.5"	Ext: 26" Int: 21.25"	Ext: 56" Int: 33.5"
IM13MF	4	3/4	8.8	13 Cu. Ft	Ext: 27.2" Int: 21.25"	Ext: 26.2" Int: 19.25"	Ext: 80.3" Int: 55.1"
IM23MF	4	3/4	9.4	23 Cu. Ft	Ext: 31.1" Int: 25.25"	Ext: 31.25" Int: 28.4"	Ext: 84" Int: 62"
IM45MF2	8	1	9.2	45 Cu. Ft	Ext: 53.1" Int: 50"	Ext: 32" Int: 28.5"	Ext: 84" Int: 61.9"



ROCK SOLID

WARRANTY

No Headaches
No Registration Required
For Procool and PeakCold Lines

PEAKCOLD[®]

5 YEAR ON COMPRESSORS
3 YEAR ON PARTS
1 YEAR ON LABOR

IRON MOUNTAIN
REFRIGERATION + EQUIPMENT

- For warranty service, contact: service@ironmountainrefrigeration.com or call 833-734-8880.
- Warranty is not supported outside the continental United States.
- Warranty is not transferable to other parties.
- Warranty does not cover the loss of product or income due to equipment malfunction.
- Placing the equipment outdoors, using it to store hazardous materials or modifying the equipment in any way voids all warranties.