

Bakery Display Case Series

▪ 4 sizes ▪



FEATURES


- 4 tempered glass sides for optimal product display
- Stainless steel exterior and floor
- 2 Sliding glass rear doors for loading
- Glass shelves with LED lighting for each
- Heavy duty hidden casters with brakes
- R290 environmentally friendly hydrocarbon refrigerant
- Dixell digital controller with automatic defrost programming
- ETL Listed and conforms to NSF Std. 7
- Standard 15-amp plug




Model	Doors	Shelves	HP	Amps	Volume	Width	Depth	Height
IM36CD3	2	3 (29.5" W x 15" D)	1/3	7.3	12.7 Cu. Ft	Ext: 35.5" Int: 32"	Ext: 28.75" Int: 24"	Ext: 55.2" Int: 32"
IM48CD3	2	3 (42" W x 15" D)	1/3	8	19.4 Cu. Ft	Ext: 47.25" Int: 44"	Ext: 28.75" Int: 24"	Ext: 55.2" Int: 32"
IM60CD3	2	3 (52.8" W x 15" D)	1/2	8.3	25 Cu. Ft.	Ext: 59" Int: 56"	Ext: 28.75" Int: 24"	Ext: 55.2" Int: 32"
IM71CD3	2	3 (66" W x 15" D)	1/2	9.2	30 Cu. Ft	Ext: 70.9" Int: 67.5"	Ext: 28.75" Int: 24"	Ext: 55.2" Int: 32"

PEAKCOLD Bakery Display Case Series


IM36CD3



IM48CD3





IM60CD3




PEAKCOLD Bakery Display Case Series

IM71CD3



Side View – All Sizes



ROCK SOLID

WARRANTY

No Headaches
No Registration Required
For Procool and PeakCold Lines

PEAKCOLD®

5 YEAR ON COMPRESSORS

3 YEAR ON PARTS

1 YEAR ON LABOR

