

Narrow Back Bar Series

24" depth ▪ 4 sizes ▪ 4 styles




FEATURES

- Double paned glass with tempered outer glass or foamed in place polyurethane insulated solid doors
- Left side mounted front venting compressor using R290 hydrocarbon refrigerant
- 304 stainless steel or wear resistant black vinyl coated steel exterior; 304 stainless steel top and interior
- LED interior lighting with separate power switch
- 4 or 6 individually adjustable epoxy coated 90 lb. capacity shelves
- Dixell digital controller with automatic defrost programming
- Self-evaporating water tray – no drain needed
- ETL Listed and conforms to NSF Std. 7
- Standard 15 amp plug



PEAKCOLD Back Bar Coolers

Model	Doors	Exterior	HP	Amps	Volume	Width	Depth	Height
IM36NBB-B	1, Solid	Black	1/5	2.88	7.8 Cu. Ft	Ext: 36" Int: 23.5"	Ext: 24.4" Int: 18.5"	Ext: 35.6" Int: 28.9"
IM36NBBG-B	1, Glass	Black						
IM36NBBG-S	1, Glass	Black						
IM48NBB2-B	2, Solid	Black	1/5	2.88	11.8 Cu. Ft	Ext: 48.8" Int: 36.25"	Ext: 24.4" Int: 18.5"	Ext: 35.6" Int: 28.9"
IM48NBBG2-B	2, Glass	Black						
IM48NBBG2-S	2, Glass	Stainless						
IM48NBBG2-S-B	2, Sliding	Black						
IM60NBB2-B	2, Solid	Black	1/5	2.88	15.8 Cu. Ft	Ext: 60.75" Int: 48.25"	Ext: 24.4" Int: 18.5"	Ext: 35.6" Int: 28.9"
IM60NBBG2-B	2, Glass	Black						
IM60NBBG2-S	2, Glass	Stainless						
IM60NBBG2-S-B	2, Sliding	Black						
IM72NBB3-B	3, Solid	Black	1/4	3.96	19.6 Cu. Ft.	Ext: 72.75" Int: 60.1"	Ext: 24.4" Int: 18.5"	Ext: 35.6" Int: 28.9"
IM72NBBG3-B	3, Glass	Black						
IM72NBBG3-S	3, Glass	Stainless						
IM72NBBG3-S-B	3, Sliding	Black						



PEAKCOLD Back Bar Coolers

