

Modular Ice Machine

350 lb. ▪ 420 lb. ▪ 530 lb.



FEATURES

- Half cube ice
- Air cooled condenser
- Durable stainless-steel exterior
- Side intake, rear venting air flow.
- Bright LED lights in ice bin
- Removable air filter
- Digital controller with error codes
- Ambient Temperature Range: 41 - 100°F
- Water Temperature Range: 41 - 90°F
- Water Pressure Range: 18 - 80 PSI
- Adjustable legs – 6-7"
- R-290 Refrigerant
- Standard US Plug
- ETL Listed

ROCK SOLID

WARRANTY

No Headaches
No Registration Required
For Procool and PeakCold Lines

PEAKCOLD®

5 YEAR ON COMPRESSORS


3 YEAR ON PARTS

1 YEAR ON LABOR

IRON MOUNTAIN
REFRIGERATION & CLIMATE

PEAKCOLD Ice Machine

ICE-350 & ICE-420



MODEL	DIMENSIONS	WEIGHT	AMPS	ICE PRODUCTION PER 24h
ICE-350	23.4" W x 32.6" D x 67"-68" H (Stacked Height)	150 lb.	6.5	~ 350 lb. (Air 69.8° F, Water 50° F) ~ 277 lb. (Air 89.6° F, Water 69.8° F)
ICE-420	23.4" W x 32.6" D x 67"-68" H (Stacked Height)	150 lb.	7.6	~ 410 lbs. (Air 69.8°F, Water 50°F) ~ 349 lbs. (Air 89.6°F, Water 69.8°F)
ICE-530	31.3" W x 32.6" D x 67"-68" H	195 lb.	9.5	~ 280 lb. (Air 69.8° F, Water 50° F) ~ 214 lb. (Air 89.6° F, Water 69.8° F)

ICE-530

